

Copper Systems



Copper SystemsCAT 6 Solutions



Introduction



Brand Values & Philosophy

We strive every day to make Vericom the world's most desirable network infrastructure and connectivity solutions provider to work for and partner with. Our desire to be the best in our field by offering quality products with integrity is a driving force to provide our customers with product offerings that remain relevant throughout the ever-changing data technologies and communications community.

We offer "The Future Of Technology- Today."

Vericom® Copper Systems

Vericom's Copper Systems are designed to provide the highest level of performance possible at the best value. For your convenience, we offer two separate alternatives to suit your specific application.

VGS™ (Vericom Global Solutions)

Our full project solutions line, designed with the future of your business in mind. This line has been tested and certified to meet or exceed the most current industry standards and is guaranteed to stand the test of time.

VGC™ (Vericom Global Commodity)

Our global commodity line provides an economical price savvy solution, designed, tested and certified to suit current light commercial or residential applications.

Category 6 Solutions

Our VGS6™ Category 6 Cable supports 10GBASE-T Ethernet based on limited distances per the standard, 1000BASE-T (Gigabit Ethernet), 100BASE-T (Fast Ethernet), 155 Mb/s ATM, 622 Mb/s ATM, 1.2 Gb/s ATM, Digital video and broadband/baseband analog video, Voice over Internet Protocol (VoIP). Category 6 is backwards compatible with Category 5e systems as well as IEEE 802.3af/802.3at (48 cables in a bundle) and 802.3bt type 3 and type 4 (24 cables in a bundle) PoE applications.


Our line of Category 6 Solutions includes: Bulk Wire, Cable Assemblies, Patch Panels, Keystone Jacks, and Copper Cabling Accessories.

For more complete, detailed specifications and information on an individual product please request a specification sheet from a Vericom representative or visit our website at vericomsolutions.com.

Copper Systems CAT 6 Solutions



Contents





Bulk Wire	1-2
VGS6™ Category 6 U/UTP LP-Certified Plenum Cable	1
VGS6™ Category 6 U/UTP Indoor / Outdoor Riser Cable	1
VGC™ CAT 6 U/UTP Plenum Cable	2
VGC™ CAT 6 U/UTP Riser Cable	2



Keystone Jacks & Patch Panels	3-5
VGS6™ Category 6 RJ45 Keystone Jacks	3
VGC™ Category 6 RJ45 Keystone Jacks	4
VGC™ Category 6 RJ45 Keystone Couplers	4
VGS6™ Patch Panels	5
VGC™ Patch Panels	5

See Page 3 for a look at our Third Party Cerifications on our new VGS6™ Line Category 6 RJ45 Keystone Jacks and Patch Panels.



Copper Cabling Accessories	7-8
VGS™ One Step Termination Tool	7
VGC™ Deluxe 66 / 110 Punch Down Tool	7
VGC™ Modular Plug Crimping Tool	7
VGS™ Field Terminable CAT6 UTP Plug	7
VGC™ CAT 6 RJ45 Unshielded Connectors	7
VGS™ Keystone Single Gang Faceplate with Labels	8
VGC™ Keystone Single Gang Faceplate	8
VGC™ Specialty Keystone Inserts (HDMI, Blank, F-81)	8

Shielded Components	9
VGC™ Category 6 Shielded Riser Cable	9
VGC™ Category 6 Shielded RJ45 Jack	9
VGC™ Category 6 Outdoor Shielded Waterproof Coupler	9
VGC™ Category 6 24 Port Shielded Patch Panels	9
VGC™ Universal Modular 24 Port Shielded Patch Panels	9
VGC™ Category 6 Shielded Patch Cables	9
VGC™ Category 6 Shielded Connectors	9



VANDA HOLDED MENTON HERVIO	
Cable Assemblies	6
28Flex™ Category 6 UTP Patch Cables	6
VGC™ Category 6 Snagless UTP Patch Cables	6



Rack & Infrastructure Systems	10-12
Cable Routing & Management Solutions	10
Wall Mount Solutions	11
Floor-Standing Solutions	12

Our Customer Support Team is available during our normal business hours: Monday - Friday: 8:00 a.m. - 8:00 pm EST

Contact us with any questions you may have regarding our products or services at:

Phone 865-671-4455 Email: sales@vericomsolutions.com



VGS6™ Category 6 U/UTP Ethernet Cable

Vericom VGS6™ Category 6 U/UTP Ethernet Cable supports the most demanding current and future high-end environments such as data centers, server farms, digital and analog voice, high resolution video and data streaming and other demanding bandwidth intensive applications that require a class E solution with Power over Ethernet (POE+) capabilities.

We offer two variations of VGS6™ Category 6 U/UTP Ethernet Cable to suit your specific requirements:

VGS6™ Category 6 U/UTP LP-Certified Plenum Cable:

Vericom VGS6™ Category 6 Plenum Cable is designed to meet and exceed ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250MHz. The 1000ft pull box of cable is constructed with 23AWG solid conductors in a four pair configuration, separated with an integral cross filler to reduce crosstalk to provide maximum system performance. The conductor insulation and filler is FEP material with a PVC jacket. This Category 6 Cable is rated for plenum spaces and UL LP Listed for PoE applications.

Standards & Compliances

- ANSI/TIA-568.2-D
- EN 50173-1 Class E

ISO/IEC 11801

- IEC 61156-5
- · RoHS Compliant
- UL 444 LP-Rating 0.6A for PoE
- IEEE 802.3bt PoE Type 1 (15.4 Watts) formerly 802.3af, Type 2 (30 Watts) formerly 802.3at Type 3 (60 Watts), Type 4 (90 Watts)

VGS6™ Category 6 U/UTP Indoor / Outdoor Riser Cable:

Vericom VGS6™ Category 6 Indoor / Outdoor Riser Cable is designed to meet and exceed ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz to ensure interoperability with all standards compliant connectivity. This cable is constructed with 23AWG solid conductors in a four pair configuration, separated with an integral cross filler to reduce crosstalk to provide maximum system performance. The indoor / outdoor cable jacket is UV Resistant and is cold bend impact tested at -40° C per UL 444.

Standards & Compliances

ANSI/TIA-568.2-D • UL 1666 (*Riser*)
ISO/IEC 11801 • UL 2556 (CMX)

UL 444 Cold Impact Test Under -40° C
 UL 444 Sunlight Resistant


• GR-3164 Severe Cold Impact • •

RoHS Compliant

- ANSI/TIA-1096-A (formerly FCC Part 68)
- IEEE 802.3af/802.3at and 802.3bt, Type 3 and Type 4 PoE Applications

Ordering Information






VGS6™ Category 6 Unshielded Ethernet Cable, 23 AWG, CMP LP-Certified

ı	tem Numbe	r		Rating	
SP6013P- XX 1000FB		CMP (Plenum)			
Specify jacket color by substituting XX in Item # for the following:					
BK = Black	BL = Blue	GY= Gray	GN = Green	WH = White	YE = Yellow

Item Example: SP6013P-BL1000FBL (VGS6™ Category 6 UTP Plenum, 1,000 ft, Blue.)





VGS6™ Category 6 Unshielded Ethernet Cable, 23 AWG, CMR w/ CMX

Gray	lvory	White
ARX6U-04566	ARX6U-04565	ARX6U-04564



VGC™ Category 6 U/UTP Ethernet Cable

Vericom VGC™ Category 6 U/UTP cable supports the most demanding current and future high-end environments such as data centers, server farms, digital and analog voice, high resolution video and data streaming and other demanding bandwidth intensive applications that require a class E solution with Power over Ethernet (POE+) capabilities.

We offer two variations of VGC™ Category 6 U/UTP Ethernet Cable to suit your specific requirements:

VGC™ Category 6 U/UTP Plenum Cable:

This Category 6 Cable is applicable to plenum spaces, and is designed to meet and exceed ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz to ensure interoperability with all standards compliant connectivity. This cable is constructed with 23AWG solid conductors in a four pair configuration, separated with an integral cross filler to reduce crosstalk to provide maximum system performance.

Standards & Compliances

- ANSI/TIA-568.2-D
- ISO/IEC 11801
- UL 444
- IEEE 802.3af/802.3at
- EU Directive 2011/65/EC
- EU Directive 2006/95/EC
- EN 50173-1 Class E
- IEC 61156-5
- NFPA 262
- CSA 22.2 No. 214
- · RoHS Compliant

VGC™ Category 6 U/UTP Riser Cable:


This Category 6 Cable is applicable to non-plenum areas where cable is run between floors, and is designed to meet and exceed ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz to ensure interoperability with all standards compliant connectivity. This cable is constructed with 23AWG solid conductors in a four pair configuration, separated with an integral cross filler to reduce crosstalk to provide maximum system performance.

Standards & Compliances

- ANSI/TIA-568.2-D
- ISO/IEC 11801
- UL 1666
- IEEE 802.3af/802.3at
- EN 50173-1 Class E
- IEC 61156-5
- UL 444
- · RoHS Compliant

Ordering Information






VGC™ Category 6 Unshielded Ethernet Cable, 23 AWG, CMP

Blue	Gray	White	Yellow
MBW6U-02402	MBW6U-04221	MBW6U-02403	MBW6U-03680





VGC™ Category 6 Unshielded Ethernet Cable, 23 AWG, CMR

Black	Blue	Gray	Green
MBW6U-03667	MBW6U-00934	MBW6U-01623	MBW6U-03628
Orange	Red	White	Yellow
MBW6U-04702	MBW6U-04481	MBW6U-01444	MBW6U-01445

Keystone Jacks & Patch Panels



VGS6™ Category 6 Third Party Certifications

VGS6™ Category 6 RJ45 Keystone Jacks

Compliance Statement

Connecting Hardware, Category 6

Including 4 Pair Power over Ethernet (4PPoE)
(Un-mating connectors under electrical load of up to 2 A per conductor)



No. 2020-829

VGS6™ Category 6 Patch Panels

Compliance Statement

Connecting Hardware, Category 6

Including 4 Pair Power over Ethernet (4PPoE)
(Un-mating connectors under electrical load of up to 2 A per conductor)



No. 2021-249

VGS6™ Category 6 RJ45 Keystone Jacks

Vericom VGS6™ Category 6 UTP RJ45 Keystone Jacks support 1000BASE-T (Gigabit Ethernet), 100BASE-T (Fast Ethernet), 155 Mb/s ATM, 622 Mb/s ATM, 1.2 Gb/s ATM, Digital video and broadband/baseband analog video, Voice over Internet Protocol (VoIP) and are backwards compatible with Category 5e systems. Compatible with IEEE 802.3af/802.3at (48 cables in a bundle) and 802.3bt type 3 and type 4 (24 cables in a bundle) PoE applications.

These Category 6 UTP RJ45 Keystone Jacks meet and exceed ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz. These keystone jacks manage crosstalk, provide superior performance with headroom for even the toughest installs, and are EC verified (2020-828) to perform with a standard RJ-45 interface. For quick and easy termination, pair our VGS™ One Step Termination Tool, or VGC™ Deluxe 66/110 Type Punch Down Tool.

Standards & Compliances

- UL Listed
 ISO/IEC 11801
- UL 1863 and CAN/CSA-C22.2

- IEC 61156-5
- TIA/EIA-568.2-D
- RoHS Compliant
- ANSI/TIA-1096-A (formerly FCC Part 68)
- Supports IEEE 802.3AF/802.3AT (48 cables in a bundle) and 802.3bt type 3 and type 4 (24 cables in a bundle) PoE applications)



Ordering Information

* Indicates color is available by special order only.

Check with sales representative for further details.

Specify color by substituting **XX** in Item # for the following:

BK = Black

BL = Blue

GN = Green

GY = Gray*

IV = Ivory*

OR = Orange

PU = Purple*

RE = Red

WH = White

YE = Yellow

Item Example: MPG6018BL (VGS6™ Category 6 UTP RJ45 Keystone Jack, Blue.)

Keystone Jacks & Patch Panels



VGC™ Category 6 Unshielded RJ45 Keystone Jacks & Couplers

Vericom VGC™ Category 6 UTP RJ45 Keystone Jacks and Couplers support 1000BASE-T (Gigabit Ethernet), 100BASE-T (Fast Ethernet), 155 Mb/s ATM, 622 Mb/s ATM, 1.2 Gb/s ATM, Digital video and broadband/baseband analog video, Voice over Internet Protocol (VoIP) and are backwards compatible with Category 5e systems.

With an option of either our VGC™ Category 6 U/UTP Keystone Jacks or our Keystone Couplers, we are sure to have a solution to suit your specific requirements.

VGC™ Category 6 Unshielded RJ45 Keystone Jacks:

These Category 6 UTP RJ45 Keystone Jacks meet and exceed ANSI/TIA-568 C Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz. These keystone jacks are compatible with most manufacturers' faceplates, are easy to punch down, clearly labeled, and have A/B functionality. For quick and easy termination, pair with our VGC™ Deluxe 66/110 Type Punch Down Tool.

Standards & Compliances

- UL Listed
- IEC 61156-5
- TIA/EIA- T568A
- RoHS Compliant

- ISO/IEC 11801
- TIA/EIA-568.C
- TIA/EIA- T568B

VGC™ Category 6 Unshielded RJ45 Keystone Couplers:

These Category 6 UTP RJ45 Keystone Couplers meet and exceed ANSI/TIA-568 C Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz. These inline keystone couplers snap-in to unused keystone ports to create a pass-through connection with an RJ45 jack on both the front and rear for fast plug-in connections of patch cords to both sides. These couplers are compatible with most manufacturers' faceplates, surface mount boxes or patch panels.

Standards & Compliances

ISO/IEC 11801

TIA/EIA- T568B

- IEC 61156-5
- TIA/EIA-568.C

- TIA/EIA- T568A
- RoHS Compliant

Searching for a shielded solution? Check out our available VGC™ Category 6 shielded components on page 9.

Ordering Information



VGC™ Category 6 Unshielded RJ45 Keystone Jack

Black	Blue	Green	lvory
MKJ6U-03720	MKJ6U-02415	MKJ6U-02416	MKJ6U-02417
Light Almond	Orange	White	Yellow
MKJ6U-02418	MKJ6U-02419	MKJ6U-02420	MKJ6U-02421



VGC™ Category 6 Unshielded RJ45 Keystone Coupler

Black	White
MKJ6U-01352	MKJ6U-03670

Keystone Jacks & Patch Panels



VGS6™ Category 6 Patch Panels

Vericom VGS6™ patch panels mount to all standard 19" racks, cabinets, and wall mount brackets, and are available in 24 Port (1 RU) and 48 Port (2 RU) (rack unit) configuration. Labels are provided with plas c covers for improved labeling durability.

These patch panels are available in two options to suit your specific data connectivity needs.

VGS6™ CAT 6 Unshielded Patch Panels:

These VGS6™ Patch Panels provide superior performance for data centers and other high-bandwidth intensive environments requiring a 1000BASE-T and PoE compatability. These panels feature a standard RJ-45 interface, contacts with minimum 50 microinches of gold, a standard 110 punchdown for terminating horizontal cable, universal labeling for T668A and T568B wiring, and a removable cable support bar. These patch panels are capable of supporting PoE/PoE+ over 100 meter channels with 10 meters of 24 AWG patch cables included in the channel.

VGS™ Universal Modular Patch Panels:

These VGS™ Modular Patch Panels provide an interface between the horizontal cable and active electronics like switches in the telco room. These patch panels accept standard keystone modules including but not limited to Cat 5e, 6, 6A modules, HDMI, fiber optics, RCA modules, coax connectors, and more.



Item Number	Number of Ports	Rack Unit Quantity
UPP60WL24	24	1 RU
LIPP60\WI 48	48	2 RH



VGS™ Universal Modular Patch Panels - Unloaded

Item Number	Number of Ports	Rack Unit Quantity
UPP6001-24	24	1 RU
UPP6001-48	48	2 RU

VGC™ Category 6 Patch Panels

Vericom VGC™ patch panels mount to all standard 19" racks, cabinets, and wall mount brackets, and are available in 12 Port (1 RU), 24 Port (1 RU) and 48 Port (2 RU) (rack unit) configuration.

These patch panels are available in two options to suit your specific data connectivity needs.

VGC™ CAT 6 Unshielded Patch Panels:

These VGC™ Patch Panels provide superior performance for data centers and other high-bandwidth intensive environments requiring a 1000BASE-T compatability. These panels feature a standard RJ-45 interface and are compatible with the standard 568A and 568B wiring schemes with a color coded wiring diagram between the 110 punch down terminals on the back of the panel. These patch panels are designed for CAT 6 unshielded wiring, with clearly numbered ports and white blank labels to make cable organization easy. They are perfect for Ethernet, voice and data networking applications.

VGC™ Universal 24 Port Modular Unshielded Patch Panels:

These VGC™ Modular Unshielded Patch Panels accept standard keystone modules including but not limited to Cat 5e, 6, 6A modules, HDMI, fiber optics, RCA modules, coax connectors, and more. Modular patch panels are available in a 24 port 1 RU (rack unit) configuration.

Ordering Information



VGC™ CAT 6 Unshielded Patch Panels

Item Number	Number of Ports	Rack Unit Quantity
MPP6U-03855	12	Wall Mount
MPP6U-03857	12	1 RU
*MPP6U-01361	24	1 RU
MPP6U-01362	48	2 RU



VGC™ Universal 24 Port Modular Patch Panels

Item Number	Number of Ports	Rack Unit Quantity
*MPPKU-04040	24	1 RU

*Pictured



28Flex™ Category 6 UTP Patch Cables

Vericom 28Flex™ Category 6 U/UTP patch cables support the most demanding current and future high-end environments such as data centers, server farms, digital and analog voice, high resolution video and data streaming and other demanding bandwidth intensive applications that require a class E solution with Power over Ethernet (POE+) capabilities.

These cables utilize 28 AWG stranded conductors in a four pair unshielded configuration for maximum durability and flexibility. 28Flex™ Patch Cables are rated CM, and meet applications up to 10 Gigabit Ethernet. This patch cable supports PoE/PoE+ over 92.5 meter channels with 10 meters of 28 AWG patch cables included in the channel, and supports PoE/PoE+ over 96 meter channels with 6 meters of 28 AWG patch cables included in the channel. The smaller diameter cable design reduces bundle sizes to improve airflow in high density applications to reduce cooling costs and potentially extend the life of active electronics

Standards & Compliances

- TIA/EIA-568.2-D
- ANSI/TIA-1096-A (formerly FCC Part 68)
- IEC 61156-5
- UL 1863 and CAN/CSA-C22.2
- ISO/IEC 11801
- RoHS Compliant
- Supports IEEE 802.3AF/802.3AT (48 cables in a bundle) and 802.3bt type 3 and type 4 (24 cables in a bundle) PoE applications)



Item Number

RC6020XXF-MYY

Specify cable length by substituting **XX** in Item # for the following:

.5 = 0.5 ft	01 = 1 ft	02 = 2 ft	03 = 3 ft
04 = 4 ft	05 = 5 ft	06 = 06 ft	07 = 07 ft
10 = 10 ft	14 = 14 ft	15 = 15 ft	20 = 20 ft

Specify jacket color by substituting YY in Item # for the following:

BK = Black BL = Blue GY = Gray GN = Green WH = White

Item Example: RC602010F-MBL (28Flex™Category 6 Unshielded Stranded Patch Cable, 28 AWG, Clear Boot, 10 ft, Blue.)

VGC™ Category 6 UTP Patch Cables

Vericom VGC™ Category 6 Snagless Unshielded Patch Cables support and exceed 1000BASE-T (Gigabit Ethernet), 100BASE-T (Fast Ethernet), DSL, cable modem and telecommunications. These patch cables are backwards compatible with Category 5e systems.

These Category 6 Snagless Unshielded Patch Cables are designed to meet and exceed ANSI/TIA-568-C.2 Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz and are tested up to 550 MHz. The patch cables utilize 23AWG stranded copper conductors in a four pair unshielded configuration with a cross filler for reduced EMI and maximum durability. These patch cables are rated CM and meet and exceed 1000BASE-T Ethernet applications with RJ-45 modular plugs.



- TIA/EIA-568.C.2
- **RoHS Compliant**

Length	Black	Blue	Gray	White	Yellow
1 ft.	XPC6U-00234	XPC6U-00267	XPC6U-00245	XPC6U-00256	XPC6U-02901
2 ft.	XPC6U-00235	XPC6U-00268	XPC6U-00246	XPC6U-00257	XPC6U-02903
3 ft.	XPC6U-00236	XPC6U-00269	XPC6U-00247	XPC6U-00258	XPC6U-02904
4 ft.	XPC6U-02669	XPC6U-02679	XPC6U-02689	XPC6U-02699	XPC6U-02905
5 ft.	XPC6U-02670	XPC6U-02680	XPC6U-02690	XPC6U-02700	XPC6U-02906
6 ft.	XPC6U-00237	XPC6U-00270	XPC6U-00248	XPC6U-00259	XPC6U-02907
7 ft.	XPC6U-02671	XPC6U-02681	XPC6U-02691	XPC6U-02701	XPC6U-02908
10 ft.	XPC6U-02672	XPC6U-02682	XPC6U-02692	XPC6U-02702	XPC6U-02909
15 ft.	XPC6U-00240	XPC6U-00273	XPC6U-00251	XPC6U-00262	XPC6U-02910
25 ft.	XPC6U-00241	XPC6U-00274	XPC6U-00252	XPC6U-00263	XPC6U-02912

Copper Cabling Accessories





The ideal solution for terminating our VGS6™ CAT 6 Keystone Jacks, the VGS™ One Step Termination Tool saves time and improves accuracy by seating and terminating all wires simultaneously with a quick, easy squeeze of the handle. The integrated blade cuts and removes excess wire after seated in the connector, eliminating any need for extra trim steps. Built for simple one-handed operation, with an ergonomically designed handle for maximum grip and comfort, this termination tool minimizes hand fatigue and helps reduce installation stress.

VGC™ Deluxe 66 / 110 Punch Down Tool

This deluxe 66/110 type punch down tool enables you to terminate and trim cables effortlessly, to quickly and easily terminate our VGS6™ CAT 6 Patch Panels and Keystone Jacks. Impact absorbing grip reduces operator stress for installers with a high volume of terminations. Adjustable High/Low actuation setting accommodates their operator's preference.

VGC™ Modular Plug Tool

Ideal for use with our CAT 6 modular plugs, this heavy-duty modular crimping tool is the perfect solution when working with high performance, larger OD cables that are tougher to terminate due to larger wire gauges, thicker, harder insulation on the conductors, and pair-separating splines. This modular crimping tool was designed for the professional installer providing a high-leverage, ultra stable platform for consistent, repeatable terminations.






The ideal solution for terminating our VGS6™ CAT 6 UTP cable in the field, this Field Terminable Category 6 UTP Plug features a time-saving design that enables the user to terminate CAT 6 cable without any special tools in overhead spaces by simply inserting the conductors into the wire manager and then into the plug housing.

Available as a Bag of 50, these RJ45 modular unshielded connectors are designed to work specifically with CAT 6 cables. 22 - 24 AWG solid and stranded conductor cables are compatible with these modular connectors.




Copper Cabling Accessories






Vericom VGS™ standard keystone faceplates with labels are available in 1, 2, 3, 4, or 6 port, and are ideal for use with any standard keystone module to create an individualized plug and play multimedia experience. These faceplates are constructed of impact resistant, fire-retardant UL94V-0 rated plastic. These flush mount, white faceplates come complete with mounting screws, write-on label and plastic label cover.



Our standard keystone faceplates are constructed of impact resistant, fire-retardant UL94V-0 rated plastic and are available in 1, 2, 3, 4, or 6 port, in white, ivory or light almond. These flush mount faceplates come complete with mounting screws.

Color	1 Port	2 Port	3 Port	4 Port	6 Port
White	XFPOP-00470	XFPOP-00471	XFPOP-00472	XFPOP-03418	XFPOP-03421
Light Almond	XFPOP-01452	XFPOP-01453	XFPOP-01454	XFPOP-03420	XFPOP-03423
Ivory	XFPOP-03588	XFPOP-03589	XFPOP-03590	XFPOP-03422	XFPOP-03588



We offer multiple styles of snap-in keystone inserts to suit your installation needs. These inserts snap-in to any standard keystone port to provide a quick and cost effective way to create an in wall HDMI connection, F-81 connection or to finish off an unused keystone outlet.

Type	Qty	Black	lvory	*White
HDMI Keystone Insert	Single	N/A	N/A	XHDAC-01424
Blank Keystone Insert	10 Pack	XFPTP-12479	XFPTP-03609	XFPTP-00504
F-81 Keystone Insert	Single	N/A	MKJ81-03435	MKJ81-03434

*Pictured

Shielded Components



The Future Of Technology - Today

Vericom VGC™ Category 6 shielded components include the same great features and specifications as our unshielded components, but with an additional level of foil screening or shielding for protection against electromagnetic interference from neighboring cables or components within a network. This line includes:

VGC™ Category 6 Shielded Riser Cable:

Item Number: MBW6F-00935

Aluminum Mylar Mylar Tape SBC Conductor Cross Filler Insulation Pair Drain Wire
Drain Wire
Ripcord
FRPVC Jacket

This Category 6 (F/UTP) Shielded Cable is applicable to non-plenum areas where cable is run between floors, and is designed to meet and exceed ANSI/TIA-568.2-D Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz to ensure interoperability with all standards compliant connectivity. The 1000ft spool of cable is constructed with 23AWG solid conductors, overall foil screened shielding, and differential twisted pairs separated with an integral cross filler reducing crosstalk to provide maximum system performance.

VGC™ Category 6 Shielded RJ45 Keystone Jack:

Item Number: MKJ6S-04496



This Category 6 UTP RJ45 Shielded Keystone Jack meets and exceeds ANSI/TIA-568 C Category 6 and ISO 11801 Class E electrical performance requirements for frequencies up to 250 MHz. This shielded keystone jack prevents EMI, making them ideal for use in today's high speed networks. These keystone jacks are compatible with most manufacturers' faceplates, are easy to punch down, clearly labeled, and have A/B functionality. For quick and easy termination, pair with our VGC™ Deluxe 66/110 Type Punch Down Tool.

VGC™ Category 6 Outdoor Shielded Waterproof Coupler:

Available in two lengths to suit your application, this Vericom Category 6 RJ45 shielded female waterproof connector is designed to connect two CAT6 shielded patch cords together, leaving a watertight connection rated to an IP67 industrial standard. It is ideal for harsh industrial or outdoor environments.



Short* Long

MCP6S-04683 MCP6S-04684

VGC™ Shielded Patch Panels:

VGC™ CAT 6 24 Port Shielded Patch Panels

Item Number: MPP6S-01364



Our Category 6 FTP 24 Port Patch Panels are offered in a 110 punch down block style to provide flexible, multi-purpose end connection solutions for communication connections. They are compatible with 568A and 568B wiring schemes with color coded wiring diagram on the back of the panel and are designed specifically for use with Category 6 shielded wiring. Clearly numbered fixed ports and white blank labels makes organizing cable runs easy. Perfect for ethernet, voice and data networking applications. These panels are designed to fit any standard 19 inch rack, cabinet or bracket.

VGC™ Universal Modular 24 Port Shielded Patch Panels

Item Number: MPPKS-04042 i din di din din din din di di di di di di di d

Additionally we also offer a VGC™ Universal Modular 24 Port Shielded Patch Panel for a more diversified plug and play network configuration. This patch panel accepts standard keystone modules including but not limited to Cat 5e, 6, 6A modules, HDMI, fiber optics, RCA modules, coax connectors, and more.

VGC™ Category 6 Shielded Patch Cables:

Vericom VGC™ Category 6 Snagless F/UTP Patch Cables support and exceed 1000BASE-T (Gigabit Ethernet), 100BASE-T (Fast Ethernet), DSL,

cable modem and telecommunications. These patch cables are backwards compatible with Category 5e systems. This patch cable is constructed with 23AWG solid conductors, overall foil screened shielding, and differential twisted pairs separated with an integral cross filler reducing crosstalk to provide maximum system performance. Shielded RJ45



connectors with molded strain relief boots make these a perfect fit for your networking needs. Available in limited lengths and colors.

Length	Black	Blue	Gray	White	Yellow
1 ft.	XPC6F-00278	XPC6F-00311	XPC6F-00289	XPC6F-00300	XPC6F-03329
2 ft.	XPC6F-00279	XPC6F-00312	XPC6F-00290	XPC6F-00301	XPC6F-03330
3 ft.	XPC6F-00280	XPC6F-00313	XPC6F-00291	XPC6F-00302	XPC6F-03331
5 ft.	XPC6F-03226	XPC6F-03235	XPC6F-03243	XPC6F-03321	XPC6F-03333

VGC™ CAT 6 RJ45 Shielded Connectors:

Available as a bag of 50, these RJ45 modular shielded connectors are designed to work specifically with CAT 6 cables. 22 - 24 AWG solid and stranded conductor cables are compatible with these modular connectors.



Item Number: WRJ45-03442



Cable Routing & Management Solutions


Ladder Rack



The VLR Series Cable Ladder Rack System mounts to the top of cabinets and open frame racks to provide overhead cable routing between aisles or across an open span. With a wide variety of accessories for mounting and connecting ladder sections, Vericom offers a complete and configurable solution that will keep your cable bundles organized and protected.

For more information, please visit our website.

Wire Basket Tray



Vericom's Wire Basket Tray System is a highly configurable and adaptable cable runway solution designed to meet the needs of a variety of applications, from short cable runs in a data closet to high-density data center installations. Featuring a rigid construction and a corrosion resistant powder coated finish, our trays offer the strength and durability to protect valuable network communications cabling, simplify system extensions, and reduce the cost of maintenance.

For additional information on our extensive portfolio of available tray sizes, splicing accessories, and support structures, please visit our <u>website</u>.

Cable Management






Detail 1



Detail 2



Detail



Detail 4



Vericom offers a wide variety of horizontal and vertical cable management solutions to help you protect and organize cables, reduce maintenance costs, improve airflow, and keep your equipment running efficiently.

For more information, please visit our website.



Wall Mount Solutions

Vericom Wall Mount Solutions securely mount communications cabling, networking gear, and related accessories to a wall when floor space is at a premium. Designed for a variety of AV, IT, telecom, datacom, network, and security applications, they are the perfect choice for small work areas where a full server rack or cabinet isn't feasible or warranted. Our portfolio of solutions includes flat-packed, light duty cabinets, fully welded cabinets for high density installations that support up to 350 lbs., and open-frame wall mount racks and brackets for specialty installations.

For more details and available size options, visit our website.

Featured Wall Mount Solutions



VW4 Series High Density Swing Out Wall Mount Cabinets

Built for heavy duty, large-scale applications, this cabinet has a fully welded 14 gauge steel frame that supports up to 350 lbs. of networking equipment. Features include a 90-degree swing-out hinge for easy access to cables and connections, heavy duty hinges and latches, and six knockouts in the top and bottom of the rear section for cable management flexibility. Available in two depths and four heights.



VW5 Series Wall Mount Racks

Vericom's Wall Mount Racks are a cost-effective solution for storing rackmount IT equipment in environments that don't require a lockable cabinet. The open frame design provides easy access to equipment with 18" of equipment depth and standard 19" mounting rails. This rack features 10-32 tapped holes with printed RU markings, and 16" keyhole spacing for mounting to a wall. Available in three heights. 8U and 15U offer a weight capacity of 150 lbs. 30U option holds up to 125 lbs.



VB2 Series Vertical Wall Mount Bracket

This Vertical Wall Mount Bracket allows servers and other networking equipment to mount vertically and flush to a wall, perfect for environments with limited space. Featuring a 75 lb. weight capacity, universal cage hole mounting and an opening in the rear panel for in-wall cable access, this bracket has the versatility to support a wide variety of equipment.

Rack & Infrastructure Systems



Floor Standing Solutions

Network & Server Cabinets



Vericom's VC5 Series Network and Server Cabinets provide an integrated, customizable solution for data center buildouts, network rooms, or IT closets. The feature-rich, robust design can be custom-configured with Vericom accessories pre-installed, speeding deployment and reducing on-site waste. Available as an open frame or complete enclosure in over 20 size combinations, with six door options and two colors to choose from, the VC5 platform offers the flexibility and versatility to meet the demands of a wide range of installation environments.

For additional information and a complete list of available options, please visit our website.

Open Frame Racks

Vericom Open Frame Racks are a great solution for applications that don't require physical security or airflow control. The open design provides unobstructed airflow to keep equipment running cool, as well as fast and easy access to equipment when maintenance is required. Supporting up to 1,000 lbs. of equipment, Vericom racks provide a strong, stable, and durable structure made from high-quality aluminum and steel.



For additional information and available options, please visit our website.

SOHO Cabinets



Designed for distributed networks and edge installations, Vericom SOHO cabinets are the perfect option for mounting and securing valuable IT equipment in remote locations where space is limited. Fully assembled and ready to deploy, they include all the features of a full-size server cabinet, conveniently sized to fit under or on top of a desk or counter.

For additional information and available size options, please visit our website.



© 2022 Vericom Global Solutions

 $in fo@vericom solutions.com \\ \bullet \\ vericom solutions.com$